
kca

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 6



Generated By: David Viohl Accessioning Manager Date: 07/25/2024



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

2 of 6

#### Looper Lifted Series Mimosa

Sample ID: SA-240625-42999 Batch: LP062524MM Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Received: 06/27/2024 Completed: 07/16/2024 Client L&K Distribution 16831 Knott Ave La Mirada, CA 90638 USA

# Cannabinoids by HPLC-PDA and GC-MS/MS

| Analyte           | LOD    | LOQ    | Result | Result |
|-------------------|--------|--------|--------|--------|
|                   | (%)    | (%)    | (%)    | (mg/g) |
| СВС               | 0.0095 | 0.0284 | ND     | ND     |
| СВСА              | 0.0181 | 0.0543 | ND     | ND     |
| CBCV              | 0.006  | 0.018  | ND     | ND     |
| CBD               | 0.0081 | 0.0242 | ND     | ND     |
| CBDA              | 0.0043 | 0.013  | ND     | ND     |
| CBDV              | 0.0061 | 0.0182 | 0.186  | 1.86   |
| CBDVA             | 0.0021 | 0.0063 | ND     | ND     |
| CBG               | 0.0057 | 0.0172 | ND     | ND     |
| CBGA              | 0.0049 | 0.0147 | ND     | ND     |
| CBL               | 0.0112 | 0.0335 | ND     | ND     |
| CBLA              | 0.0124 | 0.0371 | ND     | ND     |
| CBN               | 0.0056 | 0.0169 | 0.309  | 3.09   |
| CBNA              | 0.006  | 0.0181 | ND     | ND     |
| CBT               | 0.018  | 0.054  | ND     | ND     |
| Δ4,8-iso-THC      | 0.0067 | 0.02   | ND     | ND     |
| Δ8-iso-THC        | 0.0067 | 0.02   | ND     | ND     |
| Δ8-THC            | 0.0104 | 0.0312 | 8.92   | 89.2   |
| Δ8-THCB           | 0.0067 | 0.02   | ND     | ND     |
| Δ8-THC-C8         | 0.0067 | 0.02   | ND     | ND     |
| Δ8-ΤΗCΡ           | 0.0067 | 0.02   | 0.148  | 1.48   |
| Δ8-THCV           | 0.0067 | 0.02   | ND     | ND     |
| Δ9-ТНС            | 0.0076 | 0.0227 | 0.114  | 1.14   |
| Δ9-ΤΗCΑ           | 0.0084 | 0.0251 | ND     | ND     |
| Δ9-THCB           | 0.0067 | 0.02   | 2.59   | 25.9   |
| Δ9-THC-C8         | 0.0067 | 0.02   | ND     | ND     |
| Δ9-THCP           | 0.0067 | 0.02   | 4.18   | 41.8   |
| Δ9-THCV           | 0.0069 | 0.0206 | ND     | ND     |
| Δ9-ΤΗΟΥΑ          | 0.0062 | 0.0186 | ND     | ND     |
| exo-THC           | 0.0067 | 0.02   | ND     | ND     |
| (6aR,9R,10aR)-HHC | 0.0067 | 0.02   | 36.6   | 366    |
| (6aR,9S,10aR)-HHC | 0.0067 | 0.02   | 38.1   | 381    |
| Total Δ9-THC      |        | 0.02   | 0.114  | 1.14   |
| Total             |        |        | 91.1   | 911    |
|                   |        |        | 51.1   | 511    |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THCA\* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA\* 0.877 + CBD;

Generated By: David Viohl Accessioning Manager Date: 07/25/2024

Tested By: Nicholas Howard

ested By: Nicholas Howar Scientist Date: 07/08/2024





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

3 of 6

## Looper Lifted Series Mimosa

kca

| Sample ID: SA-240625-4<br>Batch: LP062524MM<br>Type: Finished Product -<br>Matrix: Concentrate - Dis<br>Unit Mass (g): | Inhalable C        | received: 06/27/2024<br>ompleted: 07/16/2024 | <b>Client</b><br>L&K Distribution<br>16831 Knott Ave<br>La Mirada, CA 90638<br>USA |  |  |
|--|--------------------|--|--|--|--|
|  |                    |  |  |  |  |
| Heavy Metals k<br>Analyte  | by ICP-MS          | LOQ (ppm)                                    | Result (ppm)   |  |  |
|  |                    | LOQ (ppm)<br>0.02                            | Result (ppm)   |  |  |
| Analyte  | LOD (ppm)          |  |  |  |  |
| Analyte<br>Arsenic   | LOD (ppm)<br>0.002 | 0.02   | ND   |  |  |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: David Viohl Accessioning Manager Date: 07/25/2024

Tested By: Chris Farman

ested By: Chris Farmar Scientist Date: 07/12/2024



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

4 of 6

## Looper Lifted Series Mimosa

Sample ID: SA-240625-42999 Batch: LP062524MM Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Received: 06/27/2024 Completed: 07/16/2024 **Client** L&K Distribution 16831 Knott Ave La Mirada, CA 90638 USA

## Pesticides by LC-MS/MS

| Analyte              | LOD<br>(ppb) | LOQ<br>(ppb) | Result<br>(ppb) | Analyte            | LOD<br>(ppb) | LOQ<br>(ppb) | Result<br>(ppb) |
|----------------------|--------------|--------------|-----------------|--------------------|--------------|--------------|-----------------|
| Abamectin            | 30           | 100          | ND              | Hexythiazox        | 30           | 100          | ND              |
| Acephate             | 30           | 100          | ND              | Imazalil           | 30           | 100          | ND              |
| Acetamiprid          | 30           | 100          | ND              | Imidacloprid       | 30           | 100          | ND              |
| Aldicarb             | 30           | 100          | ND              | Kresoxim methyl    | 30           | 100          | ND              |
| Azoxystrobin         | 30           | 100          | ND              | Malathion          | 30           | 100          | ND              |
| Bifenazate           | 30           | 100          | ND              | Metalaxyl          | 30           | 100          | ND              |
| Bifenthrin           | 30           | 100          | ND              | Methiocarb         | 30           | 100          | ND              |
| Boscalid             | 30           | 100          | ND              | Methomyl           | 30           | 100          | ND              |
| Carbaryl             | 30           | 100          | ND              | Mevinphos          | 30           | 100          | ND              |
| Carbofuran           | 30           | 100          | ND              | Myclobutanil       | 30           | 100          | ND              |
| Chloranthraniliprole | 30           | 100          | ND              | Naled              | 30           | 100          | ND              |
| Chlorfenapyr         | 30           | 100          | ND              | Oxamyl             | 30           | 100          | ND              |
| Chlorpyrifos         | 30           | 100          | ND              | Paclobutrazol      | 30           | 100          | ND              |
| Clofentezine         | 30           | 100          | ND              | Permethrin         | 30           | 100          | ND              |
| Coumaphos            | 30           | 100          | ND              | Phosmet            | 30           | 100          | ND              |
| Cypermethrin         | 30           | 100          | ND              | Piperonyl Butoxide | 30           | 100          | ND              |
| Daminozide           | 30           | 100          | ND              | Propiconazole      | 30           | 100          | ND              |
| Diazinon             | 30           | 100          | ND              | Propoxur           | 30           | 100          | ND              |
| Dichlorvos           | 30           | 100          | ND              | Pyrethrins         | 30           | 100          | ND              |
| Dimethoate           | 30           | 100          | ND              | Pyridaben          | 30           | 100          | ND              |
| Dimethomorph         | 30           | 100          | ND              | Spinetoram         | 30           | 100          | ND              |
| Ethoprophos          | 30           | 100          | ND              | Spinosad           | 30           | 100          | ND              |
| Etofenprox           | 30 <         | 100          | ND              | Spiromesifen       | 30           | 100          | ND              |
| Etoxazole            | 30           | 100          | ND              | Spirotetramat      | 30           | 100          | ND              |
| Fenhexamid           | 30           | 100          | ND              | Spiroxamine        | 30           | 100          | ND              |
| Fenoxycarb           | 30           | 100          | ND              | Tebuconazole       | 30           | 100          | ND              |
| Fenpyroximate        | 30           | 100          | ND              | Thiacloprid        | 30           | 100          | ND              |
| Fipronil             | 30 <         | 100          | ND              | Thiamethoxam       | 30           | 100          | ND              |
| Flonicamid           | 30           | 100          | ND              | Trifloxystrobin    | 30           | 100          | ND              |
| Fludioxonil          | 30           | 100          | ND              |                    |              |              |                 |
|                      |              |              |                 |                    |              |              |                 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: David Viohl Accessioning Manager Date: 07/25/2024

MM



Tested By: Jasper van Heemst Principal Scientist Date: 07/16/2024

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

5 of 6

## Looper Lifted Series Mimosa


kca

| Sample ID: SA-240625-429<br>Batch: LP062524MM<br>Type: Finished Product - Ir<br>Matrix: Concentrate - Disti<br>Unit Mass (g): | nhalable | Received: 06/27/2024<br>Completed: 07/16/2024 |              |
|---|----------|---|--------------|
| Mycotoxins by L<br>Analyte  | C-MS/MS  | LOQ (ppb)                                     | Result (ppb) |
| BI  | 1        | 5   | ND           |
| B2  | 1        | 5   | ND           |
| GI  | 1        | 5   | ND           |
| G2  | 1        | 5   | ND           |
| Ochratoxin A  | 1        | 5   | ND           |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

illum the

Generated By: David Viohl Accessioning Manager Date: 07/25/2024





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and an provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

6 of 6

## Looper Lifted Series Mimosa

Sample ID: SA-240625-42999 Batch: LP062524MM Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Received: 06/27/2024 Completed: 07/16/2024 **Client** L&K Distribution 16831 Knott Ave La Mirada, CA 90638 USA

## **Residual Solvents by HS-GC-MS**

|                       | 5     |       |        |                          |       |       |        |
|-----------------------|-------|-------|--------|--------------------------|-------|-------|--------|
| Analyte               | LOD   | LOQ   | Result | Analyte                  | LOD   | LOQ   | Result |
|                       | (ppm) | (ppm) | (ppm)  |                          | (ppm) | (ppm) | (ppm)  |
| Acetone               | 167   | 500   | ND     | Ethylene Oxide           | 0.5   | 1     | ND     |
| Acetonitrile          | 14    | 41    | ND     | Heptane                  | 167   | 500   | ND     |
| Benzene               | 0.5   | 1     | ND     | n-Hexane                 | 10    | 29    | ND     |
| Butane                | 167   | 500   | ND     | Isobutane                | 167   | 500   | ND     |
| 1-Butanol             | 167   | 500   | ND     | Isopropyl Acetate        | 167   | 500   | ND     |
| 2-Butanol             | 167   | 500   | ND     | Isopropyl Alcohol        | 167   | 500   | ND     |
| 2-Butanone            | 167   | 500   | ND     | Isopropylbenzene         | 167   | 500   | ND     |
| Chloroform            | 2     | 6     | ND     | Methanol                 | 100   | 300   | ND     |
| Cyclohexane           | 129   | 388   | ND     | 2-Methylbutane           | 10    | 29    | ND     |
| 1,2-Dichloroethane    | 0.5   | 1     | ND     | Methylene Chloride       | 20    | 60    | ND     |
| 1,2-Dimethoxyethane   | 4     | 10    | ND     | 2-Methylpentane          | < 10  | 29    | ND     |
| Dimethyl Sulfoxide    | 167   | 500   | ND     | 3-Methylpentane          | 10    | 29    | ND     |
| N,N-Dimethylacetamide | 37    | 109   | ND     | n-Pentane                | 167   | 500   | ND     |
| 2,2-Dimethylbutane    | 10    | 29    | ND     | 1-Pentanol               | 167   | 500   | ND     |
| 2,3-Dimethylbutane    | 10    | 29    | ND     | n-Propane                | 167   | 500   | ND     |
| N,N-Dimethylformamide | 30    | 88    | ND     | 1-Propanol               | 167   | 500   | ND     |
| 2,2-Dimethylpropane   | 167   | 500   | ND     | Pyridine                 | 7     | 20    | ND     |
| 1,4-Dioxane           | 13    | 38    | ND     | Tetrahydrofuran          | 24    | 72    | ND     |
| Ethanol               | 167   | 500   | ND     | Toluene                  | 30    | 89    | ND     |
| 2-Ethoxyethanol       | 6     | 16    | ND     | Trichloroethylene        | 3     | 8     | ND     |
| Ethyl Acetate         | 167   | 500   | ND     | Xylenes (o-, m-, and p-) | 73    | 217   | ND     |
| Ethyl Ether           | 167   | 500   | ND     |                          |       |       |        |
| Ethylbenzene          | 3     | 7     | ND     |                          |       |       |        |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: David Viohl Accessioning Manager Date: 07/25/2024

Tested By: Kelsey Rogers Scientist



Date: 07/25/2024 Date: 07/10/2024 Date: 07/10/2024 Date: 07/10/2024 Date: 07/25/2017 accredited quality system. Values reported relate only to the product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.